

kaptivo

Whiteboard Camera Solutions

Save and Share Your Whiteboard



AUTOMATIC IMAGE
CAPTURE

SECURE
SAVING

LIVESTREAMING



Connectivity Options: Wi-Fi, Ethernet, or HDMI (sold separately)



Sharing Modes: Self-Hosted

CONTROL PAD



* KaptivoCast HDMI converter not pictured



CAMERA UNIT

KAPTIVO USE CASES

Enterprises can secure company IP, efficiently archive and share whiteboard content, and livestream to global offices.

Educational institutions can digitize any traditional whiteboard without changing the way educators and students work.

Remote workers can participate more productively when collaborating with distributed team members or clients.

SAVE AND SHARE CONTENT

Access whiteboard content online in real time on any device through browser-based interface. No apps or downloads!

Save whiteboard content as a single snapshot or PDF of the full session. Share content for later review.

Invite participants to view the whiteboard session or share content through any video conference application.

PATENTED TECHNOLOGY

Proprietary embedded video processing technology identifies and extracts only content written on the whiteboard.


Image is automatically enhanced to remove any reflections, glare, and people blocking the board.

Camera analyzes individual snapshots of the board multiple times per second for live streaming.

KAPTIVO SOLUTION OVERVIEW

contact us at: contact@qtechdistribution.com | +91 7400434543

SAVE CRYSTAL-CLEAR WHITEBOARD CONTENT



LIVE VIEW


- Advanced Image Processing
- Automatic Image Capture
- Real Time View of Changes During Session

TIMELINE

- Download Single Snapshot
- Download Full Session as PDF
- Share to Productivity Software

SHARE WITH ANYONE, ANYWHERE, ON ANY DEVICE

- Browser-Based Interface
- No Apps or Downloads Required
- Invite Participants
- Native Integrations
- Secure Sessions



NO TRAINING OR CHANGE IN HOW YOU WORK



- Easy to Start Session
- Simple to Set Up
- Authenticate Participants
- Fully Secure
- Proximity Authentication
- Device Management Portal

KAPTIVO CONNECTIVITY OPTIONS

LOCAL NETWORK MODE (SELF-HOSTED)

> Ideal for organizations looking to improve collaboration through whiteboard archiving and livestreaming, while accommodating security policies that restrict access to cloud services.

> **Features:** All features of Kaptivo Enterprise delivered through an internal network or via VPN.
No Internet connectivity required.
No virtual server or additional software required.



HDMI

> Designed for educational institutions and enterprises who wish to integrate whiteboard livestreaming into dedicated video systems in the classroom or office.

> **Features:** Livestream vibrant, unobstructed whiteboard images to any HDMI-capable input device including TV displays or lecture capture systems.
No network access required.

* KaptivoCast HDMI converter is sold separately.

FEATURES	DETAILS	IN THE BOX
Maximum Whiteboard Size Supported	6 ft x 4 ft (1.8m x 1.2m)	- Kaptivo camera unit with detachable cable to control pad - Control pad with Power Over Ethernet connectivity option - Ethernet cable - USB power adapter and cable - US, UK, EU and AUS plug adapters - Wall mounting plates and screws - Quick Start Guide and table tent
Connectivity	Wi-Fi (802.11 b/n/g) or Ethernet, or HDMI (sold separately) SSL Data Encryption	
Client Application	Web-browser based application - No downloads, no plugins - Use any computer or mobile device	
Cable Between Camera Unit & Control Pad: - Camera Unit Connector - Control Pad Connector - Cable Length	Detachable Both Sides - USB B - Proprietary Micro USB 8 ft (2.45m) *Optional Accessory 14 ft (4.25m)	
AC Power Supply (input): - Output Voltage - Power Consumption (Max) - AC Adapter Type - Cable Length	100-240 V AC, 50/60 Hz 5V DC 2.5 W USB A (US, UK, EU & AUS plugs included) 8 ft (2.45m)	REQUIREMENTS - Standard board (up to 6 ft x 4 ft or 1.6m x 1.2m) with a glass, plastic or ceramic surface - Network connection - Standard web browser - AC power or Power-over-Ethernet
Product Certifications	TuV, FCC, CE, RCM	
AC power supply not required for Power-over-Ethernet operation		

FEATURES

SERVICE FEATURES
Access on Any Device via Browser
Advanced Image Processing
Automatic Image Capture
Whiteboard Live View/Sharing
View Timeline of Changes
Download Single Snapshot
Download Full Session as PDF
Invite Participants
Authenticate Participants
Share via Any Video Conferencing Software

FEATURES
Password Protected Account and Device Management Portal
One-Year Hardware Warranty
Automatic Firmware Updates*

SOLUTION	SKU
Kaptivo <i>Self-Hosted Capability</i>	AF-10380-970
KaptivoCast <i>HDMI Accessory (Optional)</i>	KC100
Kaptivo Mobile Suction Cup Mount	KA100-M
Kaptivo Extended Length Data Cable: 14ft (4.25m)	KA101-C

